

GOAL

USL SERIES

Standard Duty Cylindrical Lever Handle Lock

For: Houses, Apartment Houses, Office Buildings, ect.....



USL-5TN

Using for : bedroom, office,
apartment houses

Specifications

Model	USL-5TN
Backset	60mm. 70mm, 89mm, 127mm
Door Thickness	30~45mm
Cylinder	6 PIN TUMBLERS
Key	3 PCS Nickel-silver
Keying	MK.GMK.GGMK.CNK.KC.KA

Symbol And Finish

11	Dull stainless steel
12	Bright stainless steel
51	Antique bronze
71	Antique brass

• LEVER HANDLE DESIGN



TA DESIGN

Features

COMPETITIVE PRICE: BY ADOPTING

Advanced methods of quantity production, we are able to offer the most competitive price obtainable for cylindrical lever handle locks.

GOAL


USL-1TN

Using for: hallway, office
Finish: 11, 12, 51, and 71



USL-4TN

Using for: bathroom
Finish: 11, 12, 51, and 71



GOAL

Model	Classification	Illustration	Operation
USL-1	Passage Latch		For any door that does not require locking. Latch bolt operated by lever handles from either side at all times.
USL-15	Closet Latch		Latch bolt operated by lever handle from outside only. Plain escutcheon only inside. None inside operation.
USL-3	Patio Lock		Latch bolt operated by lever handles from either side except when outside lever handle locked by push button in inside lever handle. Turning inside lever handle or closing door automatically releases locking button.
USL-4	Privacy Lock		Latch bolt operated by lever handles from either side except when outside lever handle is locked by push button in inside lever handle. Turning inside lever handle or closing door automatically releases locking button. In case of emergency, turning of coin or other instrument against emergency slot in outside lever handle releases locking mechanism.
USL-49	Privacy Lock For Bathroom Unit	(During Construction) 	The lock functions are the same as those of the USL-5 Entrance Lock. By inserting the insert-key into the cylinder, the lock functions become the same as those of the USL-4 Privacy Lock.
		(After Construction) 	
USL-51	Entrance Lock		Latch bolt operated by lever handles from either side except when outside lever handle is locked by universal button in inside lever handle. Turning key outside or lever handle inside automatically releases locking button. Universal button has slot in head and can be fixed in locked position by turning it with coin or screwdriver. Latch bolt is automatically deadlocked when door is closed.
USL-5	Entrance Lock		Latch bolt operated by lever handles from either side except when outside lever handle is locked by universal button in inside lever handle. Turning key outside or lever handle inside automatically releases locking button. Universal button has slot in head and can be fixed in locked position by turning it with coin or screwdriver. Latch bolt is automatically deadlocked when door is closed.
USL-6	Entrance & Communicating Lock		Latch bolt operated by lever handles from either side except when both lever handles are locked by turning key from either side. When both lever handles are locked from either side, key from either side will unlock both lever handles. Latch bolt is automatically deadlocked when door is closed.
USL-68	Entrance & Communicating Lock		Latch bolt operated by key outside or lever handle inside. Outside lever handle always rigid. Inside lever handle locked or unlocked by key in inside lever handle. Latch bolt is automatically deadlocked when door is closed.
USL-7	Classroom Lock		Latch bolt operated by outside lever handle and inside lever handle. Inside lever handle always free. Outside lever handle locked or unlocked by key in outside lever handle. Latch bolt is automatically deadlocked when door is closed.
USL-71 USL-72	Utility Closet Lock		Latch bolt operated by thumb turn from inside at all times and by lever handle from outside, except when outside lever handle has been locked by full turn of key. Latch bolt is automatically deadlocked when door is closed.